

INDEX MAPS.

T. 5 N R. 2 W 2nd Mer.

	204-206	204-206	204-206	204-206	205	205	
208	6 227	5 227	4 223	3 219	2 216	2 212	1 203
	228	227	223	219	215	211	211
208	7 225	8 223	9 219	10 218	11 215	11 211	12 203
	228	226	222	218	215	211	211
208	18 226	17 222	16 218	15 214	14 214	13 211	13 203
	229	226	221	218	214	210	210
207	19 225	20 221	21 217	22 214	23 214	24 210	24 202
	228	225	221	217	213	209	209
207	30 224	29 220	28 217	27 213	26 213	25 209	25 202
	224	224	220	216	212	209	209
207	31 223	32 220	33 216	34 212	35 212	36 209	36 202
	200	199-200	199-200	199-201	199-201	199-201	199-201

T. 6 N R. 2 W 2nd Mer.

	237	237	236	236	236	235	
240	6 259	5 259	4 255	3 251	2 247	1 243	1 235
	259	258	255	251	247	243	243
239	7 258	8 254	9 250	10 247	11 247	12 243	12 235
	259	258	254	250	246	242	242
239	18 257	17 254	16 250	15 246	14 246	13 242	13 234
	260	257	253	249	245	242	242
238	19 257	20 253	21 249	22 245	23 245	24 241	24 234
	260	256	252	249	246	241	241
238	30 256	29 252	28 248	27 245	26 245	25 241	25 234
	260	256	252	248	244	240	240
238	31 255	32 251	33 248	34 244	35 244	36 240	36 233
	231-233	231-233	231-233	231-232	231-232	232	232

(C) The figures on the lines refer to the page.

Township N^o 6 North Range N^o 3 West 2nd Mer. (Ind.)
ch. 1891 South Boundary

South Boundary

- East On the South Branch of the R. Du Nord from line
 I N. S. N. R. N. & W.
 35.22 Flat Brook 10 miles and Lemire St.
 40.70 Cut a temporary road for the car. Riffled
 80.53 Cut a temporary road on a spur to R. 32, 133. I N.
 S. N. R. N. & W. Lands lost and timber Lemire as
 in the last mile.

- East On a Limestone Hill on the South Branch of Pa. 33.
S. N. 6 R. R. N. 27T.
40.00 Cut a timber road from the cor. to 74 per
80.00 Cut a road n. n. n. n. n. Feb. 33 & 34 T.
N. 6 R. R. S. 27T. Lands very brushy & rock-
y. Thin soil.

- East On a Prairie line in the South Branch of the 35.5.
No. 6 N.W. 1/4 N. 27. T.
40.00 Set a trap for the con. at 14 pm.
80.00 n n n n n n n - Oct. 35.136.
T. No. 6. N.W. N. 27. T. Same

T. N. 6 A. R. N. 2 W. 2nd Mer (Cont'd.)

East On a random line in the South Boundary of sec. 36.
T. N. 6 A. R. N. 2 W.

40.00 Set a post 10' high for the cor. to 1/4 sec.
77.75 Intersecting N. 1/4 line 12 miles & 9 miles North
of the cor. fr. sec. 1. 6. 31. 36. T. S. 6. 6. 15. 5. N. 11. 3
1/2 W. Sand soil so bushy as the last view.
Timber Oak & Hickory

West On the town line in the South Boundary of sec. 36. T. N.
6 A. R. N. 2 W.

40.00 Set the traps first on the town line for the cor. to 1/4 sec.
from which a
Beech 10 in. dia. bears N 80° E. 27 miles dist; to
Do 10 in. a — S 84° W 8 — —
80.00 Set the traps first on the town line in the cor. to 1/4 sec.
35. 136 T. N. 6 A. R. N. 2 W. from which a
Beech 19 in. dia. bears N 89° E. 43 miles dist; to
Legume 6 in. a — N 57° E. 29 a —

West On the town line in the South Boundary of sec. 35. T.
N. 6 A. R. N. 2 W.

40.00 Set the traps first on the town line for the cor. to 1/4 sec.
from which a Huckleberry 10 in. dia. bears West 2 miles dist;
80.00 Set the traps first on the town line for the cor. to 1/4 sec.
34. 135 T. N. 6 A. R. N. 2 W. from which a
Beech 10 in. dia. bears N 67° W. 6 miles dist; to
Sugar 8 in. a — N 85° E. 22 a —

West On the town line in the South Boundary of sec. 34. T.
N. 6 A. R. N. 2 W.

40.00 Set the traps first on the town line for the cor. to 1/4
from which a Poplar, 24 in. dia. bears N 3° E. 18 miles
80.00 Set the traps first on the town line for the cor. to
sec. 33. 134 T. N. 6 A. R. N. 2 W. from which a
Beech 9 in. dia. bears S 81° E. 37 miles dist; to
Do 20 in. a — N 37° E. 15 a —

233

S. No. 6. A.R. No. 247. 2nd Nov. (See d.)

- West On the true line on the South Boundary of sec. 33. T.
N^o. 6 A.R. N^o. 277.
- 40.00 Set the temporary post on the true line for the cor. to 1/4
sec. from which a
log wood 5 in. dia., which stands for the
cor. to Sec. 32, 1/33. T. N^o. 6. A.R. N^o. 277.

West On the true line on the South Boundary of sec. 32. T.
N^o. 6 A.R. N^o. 277.

- 40.00 Set the temporary post on the true line for the cor. to 1/4
sec. from which a
Beck 10 in. dia. bears S85°E. 16 miles dist; to
Do 10 in. a — N26°W. 15 in. —
Set the temporary post on the true line for the cor. to 1/4
sec. 31, 1/33 T. N^o. 6 A.R. N^o. 277. from which a
log wood 10 in. dia. bears N44°E. 9 miles dist; to
Do 8 in. a — N72°W. 14 in. —

West On the true line on the South Boundary of sec. 31. T.

- N^o. 6 A.R. N^o. 277.
- 14.96 To the Brook; This line was corrected M. for
the West.

East Boundary.

- North On the East Boundary of sec. 36. T. N^o. 6 A.R. N^o. 277.
- 40.00 Set a post for the cor. to 1/4 sec. from which a
Beck 10 in. dia. bears S29°E. 26 miles dist; to
Do 12 in. a — N49°W. 32 in. —
- 81.00 Set a post for the cor. to lot. 25, 1/36 T. N^o. 6 A.R.
N^o. 277. from which a
log wood 6 in. dia. bears S19°E. 34 miles dist; to
Bum 9 a — S80°E. 31 in. —

J. N. 6. A. H. N. 2. W. 2nd Mer. (S. d. w.)

Sand rolling Juniper Oak, & Shrub Poplar, & Buck

North On the East Boundary of sec. 25 J. N. 6 A. H.
N. 2 W.

- 13.80 Log W. Oak 12 in. dia. stands in the line.
40.00 Set a post on the cor. to $\frac{1}{4}$ sec. from which a
Buck 10 in. dia. bears S 15° E. 40 miles north to
W. Oak 12 in. — S 60° W. 19 —
80.00 Set a post on the cor. to sec. 24 & 25. J. N. 6. A.
H. N. 2 W. from which a
Buck 18 in. dia. bears N 78° E. 22 miles north; to
Log 10 in. — N 47° W. 23 —
Soils soil muds timber same as in the last mile.

North On the East Boundary of sec. 24. J. N. 6. A. H.
N. 2 W.

- 13.00 Log W. Oak 20 in. dia. stands in the line.
40.00 Set the post on the cor. to $\frac{1}{4}$ sec. from which a
Buck 10 in. dia. bears S 25° E. 28 miles north to
Dogwood tree on — N 11° W. 23 —
76.00 Log Brook 10 miles east; leaves East
80.00 Set a post on the cor. to sec. 13 & 24. J. N. 6. A.
H. N. 2 W. in a spring leave East; Bearings
to the above post. a Poplar 12 in. dia. bears S 30° W.
30 miles north; to a Buck 20 in. — N 53° E.
15 in. — This mile over thin soil; Juniper
Oak & Buck; W. F. Brinsford grows to

North On the East Boundary of sec. 13. J. N. 6 A. H.
N. 2 W.

- 40.00 Set a post on the cor. to $\frac{1}{4}$ sec. from which a
W. Oak 7 in. dia. bears N 17° W. 23 miles north to
W. Oak 20 in. — N 60° E. 24 —
76.75 Log Brook 10 miles east; leaves East.
80.00 Set a post on the cor. to sec. 12 & 13. J. N. 6. A.
H. N. 2 W. from which a

J. N. 6. N. R. N. 2 W. 2nd Mer. (Ind.)

Buck 20 in. dia. bears N 35 E. 4 miles west to
Lg 20 in. — S 26 W. 26 in. —
Sand oak and timber line at the last mile.

North On the East Boundary of sec 12 J. N. 6. N. R. N. 2 W.
40.00 Set a post on the cor. to 1/4 sec. from which a
Sugar 6 in. dia. bears S 25 E. 7 miles west; to
Do 8 in. — N 80 W. 14 in. —
80.00 Set a post on the cor. to sec. 1 & 1D J. N. 6. N. R.
N. 2 W. from which a
Hick 21 in. dia. bears S 71 E. 5 miles west
Sugar 12 in. — N 8 E. 25 in. —
Sand oak; timber sugar, buck, &c.

North On the East Boundary of sec 1 J. N. 6. N. R. N. 2 W.
15.50 To a Poplar 24 in. dia. stands in the line
40.00 Set a post on the cor. to 1/4 sec. from which a
W. Oak 10 in. dia. bears S 26 W. 7 miles west; to
Amur 10 ya — N 8 E. 16 in. —
49.00 To a Poplar 30 in. dia. stands in the line.
80.00 Set a post at the distance of six miles from the
South Boundary of the cor. to sec. 1 G. 31 & 36
J. N. 6. N. 2 W. N. R. N. 2 W.

Surveyed by

Arthur Kenne.

Dep. Sur.

North Boundary.

West On the trail line with South Boundary of sec 36 J.
N. 7. N. R. N. 2 W.
24.75 To a Walnut 30 in. dia. stands in the line
40.00 To a W. Oak 36 in. dia. which stands for the cor. to 1/4 sec.
Sand oak timber sugar, Walnut, Ash, Bucket o
65.00 To a sugar 18 in. dia. stands with line.
80.00 Set a post on the cor. to sec. 35. 136 J. N. 7 W.
N. R. N. 2 W. from which a

L. N. G. M. P. No. 277 2nd Mar (See)

Bush 16 mi. NW. base S 55° W. 3 miles west to
Do 16 n n — N 65° E. 44 n n
Same as last time as on the last trip.

West On the 2nd Mile on the town line; South Boundary of
Sec. 35 J. N. F. & R. No 277.

45.00 Set a post on the town line on the cor. to sec. 34 & 35.
which a Sugar 8 in. dia. base N 56° W. 5 miles west; to
Sugar 10 n n — S 86° E. 23 n n
Same as last time. Sugar Bush, Ash, &c
69.00 Iron Oak 18 in. dia stands in the line.
80.00 Set a post on the town line on the cor. to sec. 34 & 35.
J. N. F. & R. No 277. Iron Oak 24 in. dia stands
on the cor. to sec. 34 & 35 from which a
Sugar 10 in. dia. base N 53° E. 12 miles west;
April 2nd 1811.

Same as last time as on the last trip.

West 3rd Mile on the town line South Boundary of sec 34
J. N. F. & R. No 277.

33.50 Iron Oak 38 in. dia stands in the line.
40.00 Set a post on the cor. to sec. 34 & 35.
which a Bush 30 in. dia. base S 54° E. 12 miles west; to
Do 20 n n — N 27° W. 14 n n
Same as last time. Oak,
65.00 Iron Brook 6 lbs mid; leaves S 47°.
80.00 Set a post on the town line on the cor. to sec. 33 & 34
J. N. F. & R. No 277. from which a
W. Oak 18 in. dia. base S 25° W. 31 miles west; to
Sugar 14 n n — N 65° E. 20 n n
Same as last time.

West 4th Mile on the town line South Boundary of sec. 33.
J. N. F. & R. No 277.

15.00 Iron Brook 10 lbs mid; leaves South.
30.00 n n n 4 n n — S. E.

P.P.C. T.R. N° 277. 9th Mar. (Ind.)

- 4.000 Set apart on the cor. to 1/4 mi. on the trail from which a Buck 14 in. dia. bears N 4 E. 7 miles west to a sugar tree a n A 81 M. 17 a ~
Same to head awaiting; Hunter, T. Bush, Sugar, & Ash.
8.000 Set apart on the cor. to Sec. 32, 1/33 on the trail from
I. N. 4 E. N. R. N° 277. from which a
Buck 24 in. dia. bears S 6 E. 17 miles west; and a
Sugar 8 in. a n A 67 M. 10 a ~
Lands same as the last in size.
-

- West 5th Mile. on the trail South N 3 m. off sec. 32.
I. N. 4 E. N. R. N° 277.
25.00 To a Spring leaves South.
37.00 n n do n S.W.
46.00 Set apart on the cor. to 1/4 mi. on the trail from which a
Walnut 16 in. dia. bears N 43 E. 19 miles west; to a
Buck 15 in. a n A 67 M. 31 a ~
60.00 To a Brook 3 miles west; leaves South.
80.00 Set apart on the cor. to Sec. 31 & 32 I. N. 4 E. N. R.
N. 277. on the trail from which a
Gum 15 in. dia. bears S 87 M. 25 miles west; to a
Buck 6 in. a n A 84 E. 31 a ~
Good Oak, Lands.
-

- West 6th Mile. on the trail between Bonney & off sec. 31.
I. N. 4 E. N. R. N° 277.
20.00 To a Brook 3 miles west; leaves S.
25.00 To a Buck 18 in. dia. stands in the trail.
40.00 Set apart on the cor. to 1/4 mi. on the trail from
which a Walnut 24 in. dia. bears S 50 E. 25 miles west;
and a Walnut 20 in. a n A 47 M. 24 a ~
60.00 To a Spring leaves N.
85.00 Set a trap, first. Went in search of the Navy E
line; travelled 3 miles south; hunted but could
not find it. quit it for the present;
-

T. N. 6. A. R. N. 2 W. 2nd Mer. (East)

April 5th 1811 Travelled South to the timber report set for the 2nd last, and ran a Random line South between Hedges 253 ft. T. N. 6.

6 miles and 3 ch. and fell 18 ch. West of Dennis Town cr.

West Boundary

North On the East Boundary of sec. 36. T. N. 6. A. R. N. 3 N.

21.00 To a Brook 200 yards wide, leaves S.E. kept up the creek near the middle.

37.00 Left creek to the West

40.00 Set apart on the cr. to 1/4 sec. from which a
Rock 14 in. dia. bears N 64° N. 16. miles west; 10
Bushels 8 n. - N 44° E. 5 n. -

60.00 To a W. Oak 24 in. dia. stands in the line.

80.00 Set apart on the cr. to lot. 25, 136. T. N. 6. A. R.
N. 3 N. from which a
Rock 36 in. dia. bears S 85° N. 14. miles west; 10
Lbs 14 n. - S 81° E. 20 n. -

April 6th 1811

North On the East Boundary of sec. 25. T. N. 6. A. R. N. 2 N.

30.00 To a Spring leaves N.

40.00 Set apart on the cr. to 1/4 sec. from which a
Gum 30 in. dia. bears S 72° E. 10 miles west; 10
Bushels 18 n. - N 44° N. 24 n. -

64.00 To a Rock 10 in. dia. stands in the line.

80.00 Set apart on the cr. to lot. 24, 125. T. N. 6. A. R.
N. 3 N. from which an
Elm 16 in. dia. bears N 25° E. 4 miles west; 10
Bushels - a. - S 84° N. 15 n. -
Nail Oak, land.

North On the East Boundary of sec. 24. T. N. 6. A. R.
N. 2 N.

T. N° 6 A.R. N° 2 M. 2nd Mer. (In a.).

- 2.00 To a Brook 5 miles n.w.; lemma N.
 16.50 To a W. Oak 18 in. dia. stands in the bri.
 40.00 Set a post for the cor. to 1/4 ac. from which a
 W. Oak 36 in. dia. bears N 41 E. 22 miles dist; 10
 Bush 15 in. dia. — S 43 N. 33 in. —
 62.00 To a Brook 15 miles n.w.; lemma S. W.
 80.00 Set a post for the cor. to Lat. 131 24' T. N° 6 A.R.
 N. 2 W. from which an
 Elm 16 in. dia. bears N 3 N. 95 miles dist; 10
 Sugar 9 in. dia. — S 27 E. 50 in. —
 Healthy Oak, Lands.
-

- North On the East Boundary of Sec. 13 T. N° 6 A.R. N°
 2 W.
 5.50 To a Spring lemma S. W.
 40.00 Set a post for the cor. to 1/4 ac. from which a
 Bush 12 in. dia. bears N 68 E. 10 miles dist
 Sugan 16 in. dia. — N 48 W. 8 in. —
 44.00 To a Brook 15 miles n.w.; lemma S. E.
 Sand & 1/4 in. n.w. Healthy Oak Lands. 2 m. f.
 Gordons lands; timber Brook, sugar, oak,
 58.00 To a Cherry 36 in. dia. stands in the bri.
 80.00 Set a post for the cor. to R. 12 & 13 T. N° 6 A.R.
 N. 2 W. 37 in. from which a
 Sugar 16 in. dia. bears N 7 W. 9 miles dist; 10
 Bush 6 in. dia. — N 13 E. 23 in. —
-

- North On the East Boundary of Sec. 12 T. N° 6 A.R.
 N. 3 W.
 25.50 To a Brook 4 miles n.w.; lemma N.
 30.00 in. in 6 in. — S. W.
 40.50 Set a post for the cor. to 1/4 ac. from which a
 Bush 9 in. dia. bears S 27 W. 11 miles dist; 10
 Knap C 12 in. dia. — N 40 W. 11 in. —
 80.00 Set a post for the cor. to R. 1 & 13 T. N° 6 A.R. N°
 3 W. from which a

T. N^o 6. N.R. N^o 2 W. 2nd Mar. (Ind.)

Bush 8 mi. NW. base N 45 E. 3 miles west, to
Do 6 mi. S 57 W. 16 "

North On the East Boundary of sec. 1 T. N^o 6. N.R. N^o
3 W. 2nd Mar.

- 4.00 Trackwork 5 miles west; corner West
10.00 " " 3 " " " S.W.
40.00 Lot a post for the cor. to 1/4 sec. from which a
W. Oak 12 mi. dia. bears N 46 W. 7 miles west, to
Sugar 14 " " " S 9 E. 19 " "
79.00 Trackwork 6 miles west; corner N.
81.00 " " 5 " " " S.W.
83.00 Intersect the East W line 15 ch. East of the
boundary post and move it for the cor. to 1/4 sec.
6 ft. W. S. 203 N. from which a
W. Oak 40 mi. dia. bears S 20 N. 21 miles west, to
Sugar 14 " " " N 5 W. 39 " "
Hilly black sandy

Surveyed by

Alexander Holman

Deputy Surveyor.

Subdivision

- North Between Sec. 35, 136. T. N^o 6. N.R. N^o 2 W.
40.00 Lot a post for the cor. to 1/4 sec. from which a
Birch 20 mi. dia. bears N 42 W. 33 miles west, to
80.00 Lot a post for the cor. to sec. 25, 26, 35, 136. T.
N^o 6. N.R. N^o 2 W. from which a
Beech 20 mi. dia. bears S 66 W. 25 miles west, to
Sug. 10 " " " N 35 E. 31 " "
Sandy hilly and thin soil mixed oak.

East On a Roman line between Sec. 25, 136. T. N^o 6
N.R. N^o 2 W.

- 40.00 Lot a temporary post for the cor. to 1/4 sec.
80.00 Intersect the N.E. line 18 miles South of the.

I. N. 6. N. R. N. 2 N. D. M. W. (End.)

Spots set for the cor. to S. 25, 136. I. 6. N. R. N. 2 N.
Sand soil and timber same as in the last mile.

West On the trail line between S. 25, 136 I. N. 6 N. R.
N. 2 N.

- 40.00 Set the temporary post at the over ditch in the trail line for
the cor. to 1/4 sec. from which a
Beach 20 m. dia. bears N 23 E. 9 miles north; to
10° 10' n. n. - N 2 E. 8' n. -
80.00 To the first spot for the cor. to S. 25, 26, 35, 136.

North Between S. 25, 136. I. N. 6. N. R. N. 2 N.

- 40.00 Set a post for the cor. to 1/4 sec. from which a
Beach 10 m. dia. bears N 64 N. 8 miles north to
10° 10' n. n. - S 58 W. 22' n. -
80.00 Set a post for the cor. to S. 23, 24, 25, 26, from which
a Beach 20 m. dia. bears N 83 N. 59 miles north to
S 81 E. 30' n. n.
Sand rolling, timber Oaks, Hickory & Beech 10

East On a trail line between S. 24, 125 I. N. 6 N.
R. N. 2 N.

- 40.00 Set a temporary post on the cor. to 1/4 sec.
79.83 Into either the N. 13 miles 45 miles south of the
spot set for the cor. to S. 24, 125,
Sand soil and timber same as in the last mile.

West On the trail line between S. 24, 125 I. N. 6 N. R.
N. 2 N.

- 39.91 Set a post temporary at the over ditch in the trail line
on the cor. to 1/4 sec. from which a
Beach 8 m. dia. bears East 36 miles north
79.83 To the first spot for the cor. to S. 23, 24, 25, 26.

North Between S. 23, 24. I. N. 6. N. R. N. 2 N.

- 8.50 To a 77. Ash 20 m. dia. stands in the line.

T. R. 6. N. 11. N. 37. D. M. & M. (Ind.)

- 40.00 Set a post for the cor. to 1/4 sec. from which a
Buck 20 in. dia. bears N 57 E. 14 miles west; to
Do, 12 in. " " N 57 W. 16 " "
80.00 Set a post for the cor. to Sec. 13 1/4 D. 3. T. 24. from
which a Poplar 8 in. dia. bears N 84 E. 27 miles west,
and a Buck 18 in. " " S 45 E. 14 " "
Sand rock and do not; timber Buck, Granite

East Small random line between Sec. 13 & 124 T. R. 6.
N. 11. N. 37.

- 40.00 Set a post for the cor. to 1/4 sec. (trumpet)
into which the N. & S. line at the post set for the
cor. to Sec. 13 & 124. T. R. 6 N. 11. N. 27.
Sand rock and do timber same as on the last mile.

West On the line between Sec. 13 & 124. T. R. 6. N.
N. 11. N. 27.

- 40.00 Set a post for the cor. to 1/4 sec. at the ave. chg
on the trac line. from which a
Buck 18 in. dia. bears N 20 W. 8 miles west; to
Dogwood 6 in. " " N 78 E. 22 " "
80.00 To the post set for the cor. to Sec. 13 1/4. 13. 123. 124

Rock Between Sec. 13 & 14. T. R. 6. N. 11. N. 27.

- 40.00 Set a post for the cor. to 1/4 sec. from which a
Sugar 20 in. dia. bears N 65 E. 16 miles west; to
Buck 12 in. " " N 40 W. 33 " "
80.00 Set a post for the cor. to Sec. 11. 12. 13. & 14. from
which a Buck 8 in. dia. bears N 67 W. 8 miles west;
and a Do 12 in. " " S 40 E. 34 " "
Sand rolling Timber Buck, Oak, & Hickory

East Small random line between Sec. 12. 13. 124. T. R. 6.
N. 11. N. 27.

- 40.00 Set a trumpet post on the cor. to 1/4 sec.
78.00 To a Rock 10 miles west, Loma P. O.

T. N. 6. R. N. 2 N. 2nd Mer. (Ind.)

- 80.445 Intersected the N. & S line 8 miles South of the post set on the cor. to Sec. 12 & 13.
Sand soil and timber same as on the last mile.

West On the true line between Sec. 12 & 13. T. N. 6 R. N. 2 N.

- 40.00 Set the temporary post at the corner with north true line from the cor. to 1/4 sec. from which a Poplar 24 in. dia. bears N 68° E 108 miles north; a
80.445 Set the post set on the cor. to Sec. 11, 12, 13 & 14

North Between Sec. 11 & 12. T. N. 6 R. N. 2 N.

- 40.00 Set a post for the cor. to 1/4 sec. from which a Bush 6 in. dia. bears S 21° E 29° westward, 10
Do 12 in. — N 41° E 23° n —
80.00 Set a post for the cor. to Sec. 1, 2, 11 & 12 from which a Sycamore 10 in. dia. bears N 88° E 40° southward; a
Bush 12 in. — S 56° W 15° n —
Sand soil and timber same as on the last mile.

East On a random line between Sec. 1 & 13. T. N. 6 R. N. 2 N.

- 40.00 Set a temporary post for the cor. to 1/4 sec.
80.06 Intersected the N. & S line at the post set for the cor. to Sec. 1 & 13. Sand soil, Timber Bush
Ash & Poplar, & Oak.

West On the true line between Sec. 1 & 12. T. N. 6 R. N. 2 N.

- 40.03 Set the temporary post at the corner that on the true line for the cor. to 1/4 sec. from which a
Bush 18 in. dia. bears S 83° E 40° miles north; 10
Sycamore 10 in. — S 74° W 28° n —
80.06 Set the post set for the cor. to 1, 2, 11, 12.

North Between Sec. 1 & 2. T. N. 6 R. N. 2 N.

244

D. N. G. M. R. No 2 N. 2nd Mrs. (Ind. a)

- 40.00 Set apart for the cor. to 1/4 sec. from which a
Buck 8 in. dia. bone S 2 E. 33 miles west, 10
D. 08 a m - 441 N. 28 a -
85.00 Intersected the N. R. Branch of D. N. G. M. R.
N. 2 N. 50 miles East of the post set for the
cor. to Lat. 35.136 3 N. 7.7 R. N. 2 N. East
apart for the cor. to Lat. 1.02. From which a
Buck 20 in. dia. bone S 27 N. 24 miles west, 10
D. 12 a m - 128 N. 22 a -
Sand soil made trunks same as in the last mile.
April 9th 1814.

-
- North Between Lat. 34.135. 1 N. 6 A. R. N. 2 N.
40.00 Set apart for the cor. to 1/4 sec. from which a
W. Oak 20 in. dia. bone S 20 E. 16 miles west, 10
D. 00 a m - 155 E. 40 a -
85.00 Set apart for the cor. to Lat. 26.27. 34.135
from which a W. Oak 20 in. dia. bone N 44 E. 22 miles
west, made w. Buck 20 a m - 187 E. 41 a -
Sand hills; Timber Oak, Hick. J., Ash,
and Poplar, &c.

-
- East On a random line between Lat. 26.135. 1 N.
40.00 Set a temporary post for the cor. to 1/4 sec.
80.00 Intersected the N. S. line 12 miles N. of the post.
Set for the cor. to 25, 26. 35. 36.
Sand soil made trunks same as in the last mile.

-
- West On the true line between Lat. 26.135. 1 N. 6 A.
R. R. N. 2 N.
40.00 Set the temporary post at the 1/4 sec. on the true line
for the cor. to 1/4 sec. from which a
Buck 20 in. dia. bone S 37 N. 24 miles west, 10
Sugar 10 a m - 154 E. 22 a -
80.00 Both post set for the cor. to Lat. 26. 27. 34. 135.
1 N. 6 A. R. R. N. 2 N. 2nd Mrs. Ind. a.

T. R. C. M.R. N° 2 N. 2nd. Mr. (Ende.)

North Between Lst. 26. & 27. T. N° 6. M.R. N° 2 N.
 40.00 Set a post for the cor. to $\frac{1}{4}$ mi. from which a
 Buck 16 in dia. base N 27 N. 25 links dist. 10
 Do. 8 in. n. - N 46 E 14 n. -
 80.00 Set a post for the cor. to Lst. 22, 23. 26. 27. T. N.
 Do. 11 N. 41 E 27 N. from which a
 Sugar 8 in. dia. base N 89 N. 44 links dist. 10
 Do. 12 in. n. - N 44 E 25 n. -
 Sand soil and trout same as on the last mile.

East On the same line between Lst. 23. 126. T. N° 6 N.
 40.00 Set a stampy post on the cor. to $\frac{1}{4}$ mi.
 80.00 Set another at the N 53 line 20 links North of
 the first set on the cor. to Lst. 23. 24. 25. 126.
 Sand soil and trout same as on the last mile.

West On the true line between Lst. 23. 126. T. N° 6 N.
 R. N° 2 N.
 40.00 Set the stampy post at the cor. dist. on the true line
 for the cor. to $\frac{1}{4}$ mi. from which a
 Sugar 10 in dia. base N 75 N. 17 links dist. 10
 Do. 12 in. n. - N 6 E 14 n. -
 80.00 Set the last post for the cor. to Lst. 22, 23. 26. 27.

North Between Lst. 22. 123. T. N° 6. M.R. N° 2 N.
 40.00 Set a post for the cor. to $\frac{1}{4}$ mi. from which a
 Cherry 8 in. dia. base N 11 N. 25 links dist. 10
 Do. 8 in. n. - N 6 E. 9 n. -
 80.00 Set a post for the cor. to Lst. 14. 15. 22. 23. from
 which a Sugar 8 in. dia. base N 87 E. 20 links dist.
 and a Buck 6 in. n. - N 11 N. 8 n. -
 Sand rolling; trout same as on the last mile.

East On the same line between Lst. 14. 123. T. N° 6 N.
 R. N° 2 N.
 40.00 Set a stampy post for the cor. to $\frac{1}{4}$ mi.

246

T.N. 6. M.R. N. 2 W. 9 m. S. Mrs. (Ind.)^{a)}

80.00 Enter between the N & S line 10 miles South of the
post set for the cor. to sec. 13, 14, 23, 24.
Sandstone; Limber Oak, under Kieckh.

West On the tree line between Sec. 14 & 23. T.N. 6. M.R.
N. 2 W.

40.00 Set a temporary post for the cor. to 1/4 sec. at the over.
drift on the tree line. From which a
Sugar 8 in. dia. beam \$70 E. 37 links drift to
Buck 20 n. n. - \$63 N. 20 n. -
80.00 To the first set for the cor. 14, 15, 22, 23.

North Between Sec. 14 & 15 T.N. 6. M.R. N. 2 W.

40.00 Set a post for the cor. to 1/4 sec. from which a
Buck 12 in. dia. beam \$10 E. 32 links drift
Sugar 10 n. n. - \$65 N. 5 n. -

80.00 Set a post for the cor. to sec. 10, 11, 14, & 15. from
which a P. Oak 10 in. dia. beam \$100 46 links drift
and a Buck 8 n. n. - \$78 E. 16 n. n.
Sandstone over the last mile.

East On the random line between Sec. 11 & 14. T.N. 6.
M.R. N. 2 W.

40.00 Set a temporary post for the cor. to 1/4 sec.
80.18 Enter between the N & S line. 16. links South of the
post set for the cor. to sec. 11, 12, 13, & 14.
Sandstone over the random line over the last mile.

West On the tree line between Sec. 11 & 14. T.N. 6. M.R.
N. 2 W.

40.00 Set the temporary post at the over. drift on the tree line
for the cor. to 1/4 sec. from which a
Kieckh 12 in. dia. beam \$52 N. 3 links drift to
Buck Buck 8 n. n. - \$71 E. 49 n. -
80.18 To the first set for the cor. to sec. 10, 11, 14, 15.
T.N. 6. M.R. N. 2 W.

I. N. 6. M. R. N. 277. 2nd Mer. Ind.

Ch. Ch.

North

Between L. 10. & 11. I. N. 6. M. R. N. 277.

32.00 Log Sugar 18 in. dia. beam in the line.

40.00 Set a post for the cor. to 1/4 sec. from which a
Sugar 19 in. dia. beam N 17° E 36 links dist. to
Beck 8 in. n. n. \$307.2 n. n.

72.00 Log W. Oak 20 in. dia. Stand in the line.

80.00 Set a post for the cor. to L. 2, 3. 11. 11. from
which Dogwood 6 in. dia. beam N 20° E 13 links
dist. L. 8 in. n. n. \$880.27 n. n.
Sandstone seen the last mile.East On Random line between L. 2. & 11. I. N. 6. M.
R. N. 277.

40.00 Set a temporary post for the cor. to 1/4 sec.

80.10 Into either the N. 15 min 12 links South of the post
set for the cor. to L. 12, 11. 19.

Sandstone and timber same as the last mile.

West On the tree line, between L. 2. & 11. I. N. 6. M.
R. N. 27740.00 Set the temporary post for the cor. to 1/4 sec. at the corner
of the tree line from which a
Sugar 6 in. dia. beam \$54 E. 22 links dist. to
Beck 12 in. n. n. \$617.28 n. n.

80.11 To the post set for the cor. to L. 2. 3. 11. & 11.

North Between L. 2 & 3. I. N. 6. M. R. N. 277.

40.00 Set a post for the cor. to 1/4 sec. from which
Beck 8 in. dia. beam S 16° E. 10 links dist. to
Inwood 8 in. n. n. N 4 E. 30 in. n. n.

70.00 Log W. Oak 24 in. dia. Stand in the line.

86.80 Into either the N. Boundary of section. I. N. 6. M. R.
N. 277. 185 links East of the post set for the
cor. to L. 34 & 35 I. N. 7. M. R. N. 277. & set
a post for the cor. to L. 2 & 3. from which a
Beck 20 in. dia. beam N 49 W. 5 links dist. to

I. N. 6. A. R. p. 27. 2nd Mar (S. a. o.)

Sugar 10 in six bars N 49 E. 23 miles west
Sand soil and timber same as on the last
April 10. 1814.

North Between Sat. 33. 134 I. N. 6. A. R. 27. N.
4.000 Set a post for the cor. to 1/4 sec. from which a
Peach 10 in six bars South 33 miles west; under
D. 12 a m a N 87 E. 11 n
57.00 To a Peach 12 in six bars on the line.
8.000 Set a post for the cor. to Sat. 27. 28. 33. 134 from
which a Peach 18 in six bars N 82 E. 29 miles
west; to D. 12 a m a S 35 W. 10 n
Sand rolling timber; Peach 10 miles

East Of a random line between Sat. 27. 134 I. N. 6.
A. R. 27. N.

4.000 Set a temp. post for the cor. to 1/4 sec.
79.98 Into which the N. & S. line. 8 miles South of the
post set for the cor. to Sat. 26. 27. 34. 135.
Sand soil and timber same as on the last mile.

West. On the trail line between Sat. 27. 134. I. N. 6. A.
R. 27. N.

39.99 Set the temp. post at the cor. west on the trail line
for the cor. to 1/4 sec. from which a
Sugar 10 in six bars N 77 E. 22 miles west to
Poplar 12 a m a South 17 a m a
49.98 To the post set for the cor. to Sat. 27. 28. 33. 134

North Between Sat. 27. 128. I. N. 6. A. R. 27. N.

40.00 Set a post for the cor. to 1/4 sec. from which a
Peach 20 in six bars N 17 W. 15 miles west to
Sugar 20 a m a S 45 E. 13 a m a
79.00 To a Peach 31 miles west, known S. W.
80.00 Set a post for the cor. to Sat. 21. 22. 27. 128 from
which a Peach 18 in six bars N 72 W. 30 miles west;

269

I.N.C. A.R. No 277. 2nd Mar. (I.a.)

and an ironworks Co in Min. bears N 80 E. 31 miles north
Sand & soil made timber same as on the last mile.

East On a Random line between Sec. 22, 23, T. 7, R. 6.

N. P. R. No 277.

- 225 Took Brook 30 miles min; Course S. W.
40.00 Set a trumpet post for the cor. to 1/4 sec.
80.00 Into later the N. & S line 10 miles south of the
post set for the cor. to Sec. 22, 23, 26, 27.
Sand & soil made timber same as on the last mile.
-

West On the town line between Sec. 22, 127, T. 7, R. 6 A.R.

No 277.

- 40.00 Set the trumpet post at the corner and on the town line.
for the cor. to 1/4 sec from which
Buck 8 in Min. bears N 76 W. 20 miles west, no
Walnut 12 m n - N 76 E. 7 - -
80.00 Set the post for the cor. to Sec. 22, 21, 27, 828.
-

North Between Sec. 21 & 22, I.N.C. A.R. No 277.

- 40.00 Set a post for the cor. to 1/4 sec. from which
Buck 10 in the line N 13 W. 42 miles west, no
Dogwood 8 m n - N 21 W. 19 a - -
80.00 Set a post for the cor. to Sec. 21, 22, 15, 16. From
which a sugar 8 in Min. bears N 80 E. 31 miles north
maple 77. Oak 12 m n - N 74 W. 14 a - -
Sand & soil; timber Oak, Ash, and Poplar.
-

East On a Random line between Sec. 15, 122 I.N.C. A.
R. No 277.

- 40.00 Set a trumpet post for the cor. to 1/4 sec.
1/4.00 Took Brook 10 miles min; Course South.
80.04 Into later the N. & S line. 10 miles south of the post
set for the cor. to Sec. 14, 15, 22, 23.
Sand & soil made timber same as on the last mile.
-

S. N. C. M. R. N. 2 N. 2nd - Mrs. Gull.

West On the trail line between Sec. 15, 100 I. N. 6 N.
R. N. 2 N.

- 40.00 Set a trap 10' apart from the cor. to 1/4 sec. at the cor.
met on the trail line; from which a
Buck 10 in dia. bears N. 32° E. 12 links north; to
Poplar 8 in. — S 82° N. 16 in. —
80.04 To the first set from the cor. to Sec. 15, 16, 21, 120

North Between Sec. 15, 116 I. N. 6. N. R. N. 2 N.

- 40.00 Set a post from the cor. to 1/4 sec. from which a
Poplar 8 in. dia. bears S 8 E. 16 links north; to
Cly 6 in. — N 11 W 13. —
Same as on the last one.
80.00 Set apart from the cor. to Sec. 9, 10, 15, 116 from
which a B Oak 20 in dia. bears N 81 W 11 links
north; to sugar 12 in. — S 61 E. 34 in.
Same as on the last one.

East On the trail line between Sec. 10, 115. I. N. 6.
R. N. 2 N.

- 40.00 Set a trap 10' apart from the cor. to 1/4 sec.
80.12 Into date the N. 8 S line at the first set for the
cor. to Sec. 10, 11, 14, 115. Lando fair and timber
same as on the last mil.

West On the trail line between Sec. 10, 115 I. N. 6 N.
R. N. 2 N.

- 40.00 Set the trap 10' apart at the cor. with on the trail
line for the cor. to 1/4 sec. from which a
Buck 10 in. dia. bears N. 18 E. 18 links north; to
Sugar 12 in. — S 68 E. 37 in.
80.12 To the first set from the cor. to Sec. 9, 10, 15, 116.

North Between Sec. 9, 111 I. N. 6. N. R. N. 2 N.

- 9.50 Trap Buck 20 in dia. stands on the trail.
40.00 Set a post from the cor. to 1/4 sec. from which a

I. N. 6. A. R. N. 2 W. 2nd. Mar. (Ind.)

Bush 6 m. due bears S 34° W. 13 miles west; N 20°
 Do 8 m. — S 51° E. 8 m. —
 80.00 Set apart from the cor. to lat. 34° 9. 10. from which
 a sugar 12 m. due bears N. 56° E. 15 miles west; to
 Do 12 m. — N 57° W. 3 m. —
 Sand & soil and timber same as on the line.

East On a random line between Lat. 30° 10' I. N. 6 A.
 N. N. 2 W.

40.00 Set a trumpet post for the cor. 1/4 sec.
 80.08 Introduce the A. S. line at the point for the
 cor. to lat. 2. 3. 10 11 D. N. 6 A. R. N. 2 W.
 Sand & soil and timber same as on the last mile.

West On the true line between Lat. 30° 10' I. N. 6 A. R.
 N. 2 W.

40.04 Set the trumpet post at the westerly end on the true line
 from the cor. to 1/4 sec. from which
 sugar 6 m. due bears N. 5° W. 9 miles west; to
 sugar 8 m. — N 44° E. 27 m. —
 80.08 To the post set for the cor. to lat. 3. 4. 9. 10.

North Between Lat. 30° 4' I. N. 6 A. R. N. 2 W.

40.00 Set a post from the cor. to 1/4 sec. from which
 sugar 10 m. due bears S 55° W. 49 miles west; to
 bush 12 m. — North 40 m. —

75.00 To a Brook 25 miles west; come next.
 87.00 Introduce the A. B. road off I. N. 6 A. R. N. 2 W.
 247 lake East of the first set for the cor. to lat.
 33. 34. I. N. 7 A. R. N. 2 W. and set a post
 from the cor. to lat. 3. 4 1/4 from which
 sugar 10 m. due bears S 28° W. 21 miles west; to
 Do. 10 m. — S 53° E. 25 m. —
 Sand same near the last mile. April 11th 1814.

North Between Lat. 32. & 33. I. N. 6 A. R. N. 2 W.

S. N. C. I. R. N. 277. 2nd Rec. (See a.)

- 40.00 Set apart for the cor. to 1/4 sec. from which a
N. Maltese Creek line bears N 18° W. 22 miles west to
Sugar 8 m. a. a. N 57° W. 24 m. a.
54.00 To a Spring house N.W.
86.00 Set apart for the cor. to Lat. 28, 29, 32, 33 from
which a Bush 20 m. due West 12 miles west
and a Sugar 6 m. a. a. N 88° E. 18 m. a.
Sands Valley; Tinta Park & Hawking.

East On a random line between Lat. 28, 33. T.M.C.
I.R. N. 277.

- 44.00 Set a temp. post for the cor. to 1/4 sec.
81.08 Intersected the N. & S. line 12 miles North of the
post set for the cor. to Lat. 27, 28, 33, 134
Sands Fish and timber same as on the last mile

West On the true line between Lat. 28, 133. T.M.C.
I.R. N. 277.

- 40.04 Set the temp. post at the above distance the true
line from the cor. to 1/4 sec. from which a
Bush 10 m. due West N 71° E. 26 miles west to
10. 10 m. a. a. N 60° E. 15 m. a.
80.08 Set the post lot for the cor. to Lat. 28, 29, 32, 133.

North Between Lat. 28, 129. S. N. C. I. R. N. 277.

- 40.00 To a Brook 5 miles west; Lemma S.E.
40.00 Set apart for the cor. to 1/4 sec. from which a
Bush 12 m. due West S 20° E. 42 miles west; 10
from 18 m. a. a. S 40° W. 3 m. a.
59.00 To a Brook 18 miles west; Lemma S.E.
80.00 Set apart for the cor. to Lat. 20, 21, 28, 29 from
800 which a Willow 18 m. due West N 74° W. 12 miles
west to River 10 m. a. a. N 45° W. 5 m. a.
a. Same as on the last mile.

East On a random line between Lat. 21 & 28. T.M.C. N.

T.N. 6. N.R. N. 2 M. 2nd M. (Ind.)

R. N. 2 M.

- 35.00 To a Brook 25 miles west; leaves South.
 Set a post temp. for the car to $\frac{1}{4}$ sec.
 40.00 Int. into the N.S. line at the post set for the car.
 to Aug. 21, 22, 27, 128.
 Sand & soil made timber same as on the last mile.

West On the true line between Sec. 21 & 28 T.N. 6. N.
 R. N. 2 M.

- 40.05 Set the temp. post at the ave. dist on the true line
 from the car to $\frac{1}{4}$ sec. from which a
 Peck 6 in dia. bears N 43° W. 18 miles dist; to
 Sugar 8 in a " S 89° W. 36 a "
 80.10 Set the post at from the car to Sec. 20, 21, 28, 129.

North Between Sec. 20. & 21. T.N. 6. N.R. N. 2 M.

- 40.00 Set a post for the car to $\frac{1}{4}$ sec. from which a
 P. Walnut 6 in dia. bears N 11° W. 13 miles dist; to

Dogwood 6 in a " S 27° W. 30 a "

Sand & soil made timber same as on the last mile.

- 80.00 Set a post for the car to Sec. 16, 17, 20, 121. from which
 a Sugar 20 in dia. bears S 30° W. 13 miles dist; to
 Peck 10 in a " N 45° W. 19 a "
 Sand & soil made Heilly; Timber Oak, Poplar,
 Buck.

East On Morrison line between Sec. 16. & 21. T.N. 6.
 N.R. N. 2 M.

- 40.00 Set a temp. post for the car to $\frac{1}{4}$ sec.
 48.50 To a Brook 10 miles west leaves South.
 80.18 Int. into the N.S. line 12 miles South of the post
 set for the car to Sec. 15, 16, 21, 120
 Sand & soil made timber same as on the last mile.

West On the true line between Sec. 16. & 21. T.N. 6. N.R.
 N. 2 M.

T. No. 6. N.R. No. 277. Dads. Mar. Ind.

- 4004 Set the temp. post at the ave. dist. on the tree line
of the cor. to $\frac{1}{4}$ sec. from which
Sugar 10 in. dia. bears N 89 E. 43 links dist; 100
Do 10 in. " " S 59 E. 22 in. "
8008 To the post set for the cor. to Sec. 16. 17. 20. 21.

- North Between Sec. 16 & 17. T. No. 6. N.R. No. 277.
4000 Set a temp. post for the cor. to $\frac{1}{4}$ sec. from which
a Bush 10 in. dia. bears N 17 W. 10 links dist; 100
Do 10 in. " " N 51 W. 20 in. "
8010 Set a post for the cor. to Sec. 8. 9. 16 & 17. from which
a Dogwood 6 in. dia. bears N 75 W. 13 links dist; 100
Sycamore 16 in. " " N 82 E. 21 in. "
Sand & Willy Hick. 7 Sycamore & Oak timber

- East On a random line between Sec. 9. 14. 15. 16.
N.R. No. 277
4000 Set a temp. post for the cor. to $\frac{1}{4}$ sec.
8011 Set a post for the N.E. line 8 links South of the
post set for the cor. to Sec. 9. 10. 15. 16.
Sand & timber finds same as in the last view.

- West On the tree line between Sec. 9. 14. 15. 16. T. No. 6. N.R. No. 277.
4000 Set the temp. post at the ave. dist. on the tree
line of the cor. to $\frac{1}{4}$ sec. from which
from 12 in. dia. bears S 58 E. 5 links dist; 100
Bush 18 in. " " S 67 W. 16 in. "
8000 To the post set for the cor. to Sec. 8. 9. 16. 17.

- North Between Sec. 8 & 9. T. No. 6. N.R. No. 277.
4000 Set a post for the cor. to $\frac{1}{4}$ sec. from which
Sugar 13 in. dia. bears N 16 E. 5 9 links dist; 100
Do 10 in. " " S 14 E. 13 in. "
62.00 Log Brook 25 links wide; leaves S.E.
8000 Set a post for the cor. to Sec. 4. 5. 8. 9. from which

T. N° 6. N.R. N° 277. 2nd Mer. Fall.

Buck 10 in dia. bears N 49° E 17 miles with 10
D. 18 a n a S 83° W. 15 a n
Sand & grit made similar some near the last mile.

East On a parallel line between Lat. 41° 9' T. N° 6 N.
N. N. 277.

22.00 Log Brook 20 miles west, same S.W.
40.00 Set a temporary post for the cor. to 1/4 mi.
79.98 Intersected the N.S. line, at the post set for the cor.
to Lat. 3. H. 9. 10 Sand & grit made similar some
as in the last mile;

West On the true line between Lat. 4. 5. 9. T. N° 6 N.
N. N. 277.

39.99 Set the temporary post at the arm. creek in the true line
for the cor. to 1/4 mi. from which a
Buck 10 in dia. bears S 84° E. 43 miles dist; 10
Sugar 6 a n a S 59° W. 8 a n
79.98 To the post set for the cor. to Lat. 4. 5. 8. 9.

North Between Lat. 41° 5'. T. N° 6. N.R. N° 277.

40.00 Set a post on the cor. to 1/4 mi. from which a
Buck 10 in dia. bears N 33° E. 16 miles dist; 10
Maple 12 a n a N 66° W. 21 a n
87.30 Intersected the N. Boundary of T. N° 6 N.R. N.
277. 318 miles East of the post set for the cor.
to Lat. 32. 133. T. N° 7. N.R. N. 277. and set a
post for the cor. to Lat. 4. 5. 5. From which a
Buck 20 in dia. bears S 24° E. 8 miles dist; 10
Dogwood 6 a n a S 83° W. 30 a n
Sand same as in the last mil. April 19th 1884.

North Between Lat. 31. 133. T. N° 6. N.R. N. 277.

40.00 On an offset towards the East on account of a
crack
80.00 A post for the cor. to Lat. 29. 30. 31. 133. from

T.N. 6. N.R. N. 277. 2nd Mar. (Ind.)

which a W. Oak 20 in. dia. bears N 86 W. 23 miles westward
and a Maple 12 in. — N 77 E. 38 in. —
Lands mostly; timber oak and birch.

East On a random line between Sec. 29, 30, 31 T. N. 6 N.
R. N. 277.

- 40.00 Set a post trap 1/4 mi. from the cor. to 1/4 sec.
73.00 Log Brook 50 miles west; Lemon Soalto.
80.06 Intercept the N. S. line at the first lot for the cor.
to Sec. 28, 29, 32, 133. Lands same as on the last
miles. T.N. 6. N.R. N. 277.

West On the tree line between Sec. 29, 30, 31 T. N. 6 N.
R. N. 277.

- 40.03 Set a post trap 1/4 at the ave. dist. on the tree line
from the cor. to 1/4 sec. from which a
Sugar 10 in. dia. bears N 85 E. 68 miles west; to
Knick 10 in. — S 87 W. 103 in. —
80.06 To the first lot for the cor. to Sec. 29, 30, 31, 133

North Between 29. & 30. T. N. 6. N. R. N. 277.

- 37.50 To a W. Oak 20 in. dia. bears on the line.
40.00 Set a post for the cor. to 1/4 sec. from which a
Sugar 10 in. dia. bears N 3 E. 37 miles west; to
Dogwood 8 in. — N. 13 W. 38 in. —
80.00 Set a post for the cor. to Sec. 19, 20, 29, 130. from
which a Beech 8 in. dia. bears S 74 W. 18 miles west; to
Sugar 12 in. — N 55 W. 8 in. —
Lands same as on the last miles.

East On a random line between Sec. 20, 129. T. N. 6 N.
R. N. 277.

- 40.00 Set a trap 1/4 post for the cor. to 1/4 sec.
80.12 Intercept the N. S. line at the first lot for the cor.
to Sec. 21, 28, 129. Lands like and timber
same as on the last miles.

259

I.R. 6. N.P. M.D.N. 2 miles from (Sud.)

- West On the trail between Sec. 20 & 29. I.R. 6 N.P.
N. 27 N.
- 40.00 Set a trap for the moose at the ave. just on the trail
after the cr. to 1/4 sec. from which a
Beck 12 in. die. bears \$82.77 mink skin; 10
Lg 12 in. n. n. \$68.20. n. n.
- 80.00 Set traps for the cr. to Sec. 19. 20. 29. & 30

-
- North Between Sec. 19. & 20. I.R. 6 N.P. N. 27 N.
- 40.00 Set a post for the cr. to 1/4 sec. from which a
Beck 12 in. die. bears East 1 mink skin.
- 80.00 Set a post for the cr. to Sec. 17, 18, 19. 20. from
which a Beck 12 in. die. bears \$73.19 mink which
are dead Dogwood tree n. n. \$39.80 -
Same as above over the last mile.

-
- East On a random trail between Sec. 17 & 20. I.R.
N. 27 N.
- 40.00 Set a trap for the cr. to 1/4 sec.
- 80.00 Indicated the N.E.S. at the post set for the cr. to Sec.
16. 17. 18. 19. Same as above over the last mile.

-
- West On the trail between Sec. 17 & 20. I.R. 6 N.P.
N. 27 N.
- 40.00 Set the trap for the moose at the ave. just on the trail
for the cr. to the 1/4 sec. from which a
Beck 10 in. die. bears \$80.21 mink skin; 10
Angar 10 in. n. n. \$40.77 9 a. -
- 80.00 Set traps for the cr. to Sec. 17. 18. 19. 20.

-
- North Between Sec. 17 & 18. I.R. 6 N.P. N. 27 N.
- 40.00 Set a post for the cr. to 1/4 sec. from which a
Beck 20 in. die. bears \$43.77 441 mink skin; 10
Sperm 10 in. n. n. \$27.77 10 a. -
- 70.00 Set traps 2.5 kilometers beyond S.W.
- 80.00 Set a post for the cr. to Sec. 17. 18. 19. 20. from which

I No. 6. I.P.R. No. D.W. 2 miles Mar. (Cont'd.)

Buck 12 in. dia. bears N 8 E. 2 miles west; 100
Sugar 4 in. - N 81 W. 15 in. -
Lands lost made timber same as on the last mile.

East On all random line between Ls. 8. & 17. I.P.R. 6.
N.W. No. 2 N.

4.50 Log Brook 25 miles west; leaves S.W.

4.000 Set a temp. post for the cor. to 1/4 sec.

8.000 Turn out to the North and South line 10 miles South
of the first set for the cor. to 1/4 sec. 8. 9. 16. 17.
Lands lost made timber same as on the last mile.

West On the true line between Ls. 8. & 17. I.P.R. N.W.
No. 2 N.

4.000 Set the temp. post at the cor. west on the true line
for the cor. to 1/4 sec. from which a

Dogwood 8 in. dia. bears N 21 W. 15 miles due N
11. 16 in. - S 58 E 6 in. -

8.000 To the first set for the cor. to Ls. 7. 8. 17. or 18.

North Between Ls. 7. & 8. I.P.R. N.W. No. 2 N.

4.000 Set a post for the cor. to 1/4 sec. from which an

Ironwood 6 in. dia. bears N E. 91 miles west; 100
Buck 12 in. - N 14 W. 79 in. -

8.000 Set a post for the cor. to Ls. 5. 6. 7. 8. from which
Buck 7 in. dia. bears S 80 E. 22 miles due N; 100

Dogwood 6 in. - S 38 W. 7 in. -

Lands lost made timber same as on the last mile

East On all random line between Ls. 5. & 8. I.P.R. N.
N.W. No. 2 N.

3.50 Log Brook from a string 5 kilometers; leaves South.

4.000 Set a temp. post for the cor. to 1/4 sec.

8.000 Turn out to the N. 55 line at the first set for the cor. to
4. 5. 8. 9. Lands same as on the last mile.

S. N. 6. N.R. N. 2 W. 2nd Mer. (Ind.)

- West On the tree line between Sec. 5 & 8. T. N. 6. N.R. N. 2 W. 2nd Mer.
- 40.04 Set the trumpet post at the corner just on the tree line for the cor. to 1/4 sec. from which a
Buck 10 in dia. bears S 57 E. 10 miles dist; to
Sugar 12 in a N 37 W. 6 - -
- 80.08 To the post set for the cor. to Sec. 5. 6. 7. & 8.

- North Between Sec. 5 & 6. T. N. 6. N.R. N. 2 W.
34.50 Iron Buck 20 in dia. bare in the tree.
- 40.00 Set a post for the cor. to 1/4 sec. from which a
W. Ash 6 in dia. bears S 4 E. 10 miles dist; to
16.00 10 in a N 76 W. 1 - -
- 87.98 Intersect the West Boundary of Sec. N. 6. N.R. N.
2 W. 398 miles East of the post set for the cor.
to Sec. 31 & 32. T. N. 7. N.R. N. 2 W. and set a
post for the cor. to Sec. 5. 5 & 6 from which a
Horn 20 in dia. bare N 85 E. 13 miles dist; and a
Dogwood 6 in a N 66 E. 10 - -
Lands hilly and very brushy. Spruce Oak, Hocick
and Poplar. April 13. 1814.

- West Between Sec. 6 & 7. T. N. 6. N.R. N. 2 W.
40.00 Set a post for the cor. to 1/4 sec. from which a
Sugar 8 in dia. bare S 88 E. 20 miles dist; to
Buck 20 in a N 11 E. 35 - -
- 69.76 Intersect the West Boundary of T. N. 6. N.R. N.
2 W. 468 miles South of the post set for the cor. to
Sec. 1 & 2. T. N. 6. N.R. N. 3 W. and set a
post for the cor. to Sec. 6. 6 & 7. from which a
Dogwood 6 in dia. bears S 41 E. 17 miles dist; to
Buck 6 in a - South 2 in -
Lands hill and timber same as on the last mile.

- West Between Sec. 7 & 8. T. N. 6. N.R. N. 2 W.
40.00 Set a post for the cor. to 1/4 sec. from which a

I. N. 6. N. R. N. 3 N. 2nd Mor.

- Beech 8 in. dia. base S78 W. 14 links dist; and so
Do 10 in. n. n. S75 E. 13 n. n.
72.76 Intervened the West Boundary of I. N. 6. N. R.
N. 2 N. 375 links South of the post set for the
cor. to Sec. 12. & 13. I. N. 6. N. R. N. 3 N. and set a
post for the cor. to Sec. 7. & 18. from which a
Beech 10 in. dia. base N43 W. 18 links dist; & so
Maple 8 n. n. S43 E. 10 n. n.
Lando Silty timber Oak & Hickory
-

- West On the true line between Sec. 18. & 19. I. N. 6. N. R. N. 2 N.
29.50 To a Beech 20 in. dia. stand in the line
40.00 Set a post for the cor. to 14 sec. from which a
Beech 10 in. dia. base S78 E. 48 links dist; & so
Maple 20 n. n. N61 N. 28 n. n.
50.00 To a Brook 100 links west lemma L. E.
74.80 Set a post in the West Boundary of I. N. 6. N. R.
N. 2 N. 350. links South of the post set for the
cor. to Sec. 13. & 24. I. N. 6. N. R. N. 2 N. from which
Beech 10 in. dia. base South 14 links dist; & so
Hickory 12 n. n. S45 W. 12 n. n.
Lando soil and timber same as on the last line.
-

- West Between Sec. 19. & 30. I. N. 6. N. R. N. 2 N.
40.00 Set a post for the cor. to 14 sec. from which a
Beech 6 in. dia. base S75 W. 6 links dist; & so
Do 12 n. n. N42 E. 12 n. n.
76.00 Intervened the West Boundary of I. N. 6. N. R. N. 2 N.
250 links South of the post set for the cor. to Sec. 36.
82.5. I. N. 6. N. R. N. 3 N. and set a post for
the cor. to Sec. 19 & 30 from which a
Beech 20 in. dia. base N6 E. 24 links dist; & so
Sugar 8 n. n. S10 E. 16 n. n.
Lando Hickory; Timber Oak & Hickory
-

West Between Sec. 30. & 31 I. N. 6. N. R. N. 2 N.


261

P. No 6. N.R. N^o 2 N. 2nd Mer. (Ind.)

- 28.00 Long Bank 12 mi. due. stands on the line.
- 40.00 Set a post for the cor. to 1/4 sec. from which a
Survey 12 mi. due. bears N69°E. 3.5 miles dist
Bench 20 n n n N96°E. 8 n n
- 76.00 Inter section the West Boundary of Section N^o 6.
N.R. N^o 2 N. 50 miles South of the post set
for the cor to sec. 95 & 36 I. N^o 6. N.R. N^o 3 N.
made set a post on the cor. to sec. 31 & 31. from which
Heights 10 mi. due. bears S35°E 13 miles dist; to
Bank 12 n n n S88°E. 3.5 n n
Lands rolling; timber same as on the last mile
- April 14th 1814.

Surveyed by Arthur Hennie
Deputy Sur.

I certify that the foregoing transcript of the
field notes of Township N^o 6, North Range
N^o 2 West of the 2nd Mer. (Indiana,) has been
compared with the original notes in this Office
and found to be correct.

Surveyor General's Office
Cincinnati, Dec. 25th 1839 
Surveyor Genl.